

**PRO ARMOR**

*EVERY RIDE HAS A STORY*



# WHEELS & TIRES

MODEL YEAR '26 BROCHURE



- Tread patterns optimized for extreme traction
- Ideal for both hard-pack and loose trail

## PRO ARMOR TREKKER

- Specialized tread design provides a quiet ride
- Graduated lug depth maximizes the contact patch for ultimate predictability
- 8-ply, triple belted nylon construction

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
12" 26" x 10" R12 T261012TRKR	FRONT/REAR 11-17mm graduated	29 LBS	8	3	1,020 LBS					
14" 27" x 10" R14 T271014TRKR		30 LBS			1,080 LBS					
14" 29" x 10" R14 T291014TRKR		32 LBS			1,205 LBS					
15" 30" x 10" R15 T301015TRKR		34 LBS			1,235 LBS					
15" 32" x 10" R15 T321015TRKR		37 LBS			1,390 LBS					
15" 33" x 10" R15 T331015TRKR		40 LBS			1,520 LBS					
15" 35" x 10" R15 T351015TRKR		45.5 LBS			1,710 LBS					
16" 35" x 10" R16 T351016TRKR		45.2 LBS			1,610 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500



## PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
15" 28" x 10" R15 T281015AT2	FRONT/REAR 25mm	32 LBS	10	3	1,110 LBS					
15" 30" x 10" R15 T301015AT2		38 LBS			1,235 LBS					
15" 32" x 10" R15 T321015AT2		44 LBS			1,390 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500



## PRO ARMOR ATTACK

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
14" 26" x 9" R14 T260914AT	FRONT	28 LBS	8	3	910 LBS					
14" 26" x 11" R14 T261114AT		32 LBS			1,320 LBS					



## PRO ARMOR DUAL-THREAT

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
14" 26" x 9" R14 T260914DT	FRONT/REAR 16mm	27 LBS	10	3	910 LBS					
14" 26" x 11" R14 T261114DT		30 LBS			1,110 LBS					
14" 29" x 9" R14 T290914DT		30 LBS			1,110 LBS					
14" 29" x 11" R14 T291114DT		35 LBS			1,320 LBS					
15" 32" x 10" R15 T321015DT		38 LBS			1,990 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500



## PRO ARMOR CRAWLER XG

- Built to crawl over all obstacles, both large and small
- A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- 8-ply, triple-belted ballistic sidewalls resist punctures

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
14" 30" x 10" R14 T301014XG	FRONT/REAR 20mm	38 LBS	8	3	1,280 LBS					
14" 32" x 10" R14 T321014XG		41 LBS			1,420 LBS					
15" 28" x 10" R15 T281015XG		33 LBS			1,100 LBS					
15" 30" x 10" R15 T301015XG		39 LBS			1,280 LBS					
15" 32" x 10" R15 T321015XG		42 LBS			1,390 LBS					
15" 33" x 10" R15 T331015XG		44 LBS			1,520 LBS					
15" 35" x 10" R15 T351015XG		44 LBS			1,420 LBS					
16" 32" x 10.5" R16 T3210516XG		44 LBS			1,430 LBS					
16" 35" x 10" R16 T351016XG		45 LBS			1,430 LBS					



## PRO ARMOR CRAWLER XR

- Premium grip for all terrains, from the trail to the rocks
- Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest the trail has to offer

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
14" 28" x 10" R14 T281014XR	FRONT/REAR 16mm	32 LBS	8	3	1,140 LBS					
14" 30" x 10" R14 T301014XR		38.5 LBS			1,330 LBS					
15" 30" x 9" R15 T300915XR		37 LBS			1,280 LBS					
15" 32" x 10" R15 T321015XR		39 LBS			1,390 LBS					
15" 33" x 10" R15 T331015XR		39 LBS			1,390 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500



## PRO ARMOR PRO RUNNER

- Designed to be lightweight, high-performance and quicker in corners/flats
- Triple-belted sidewalls offer extra protection where it's needed the most
- Lug separation provides a great grip and an easy clean in mud and sand

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
15" 30" x 9" R15 T300915PR	FRONT/REAR 14mm	30 LBS	8	3	1,170 LBS					
15" 32" x 9.5" R15 T329515PR		36 LBS			1,390 LBS					
15" 33" x 9.5" R15 T339515PR		38 LBS			1,480 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500



## PRO ARMOR CRAWLER AT

- Directional tread for optimal performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
15" 30" x 10" R15 T301015CAT	FRONT/REAR 18mm	36 LBS	8	3	1,280 LBS					
15" 32" x 10" R15 T321015CAT		39 LBS			1,390 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500



## PRO ARMOR CRAWLER XP

- Ideal for overlanding, rock crawling and desert running with a soft, sticky compound
- Built to maneuver over large and small obstacles
- 8-ply, triple-belted ballistic sidewalls with anti-puncture strength

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
15" 30" x 10" R15 T301015XP	FRONT/REAR 20mm	38 LBS	8	3	1,280 LBS					
15" 32" x 10" R15 T321015XP		42 LBS			1,390 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500



- Tread patterns optimized for extreme traction
- Ideal for both hard-pack and loose trail



### PRO ARMOR XD-K

- 26" Aramid fiber-belted tire to tackle any terrain
- Unique full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SFM	XP
12"	26" x 9" R12 T260912XDK	FRONT	28 LBS	10	3/1 Aramid	855 LBS					
12"	26" x 11" R12 T261112XDK	REAR	32 LBS			1,100 LBS					



### PRO ARMOR HARVESTER

- All-around work horse with tread life of
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SFM	XP	
12"	26" x 8" R12 T260812H	FRONT	24 LBS	10	3	855 LBS						
12"	26" x 10" R12 T261012H	REAR	32 LBS			1,355 LBS						
14"	27" x 10" R14 T271014H	FRONT/REAR	32 LBS			1,320 LBS						
14"	28" x 10" R14 T281014H	FRONT/REAR	34 LBS			1,390 LBS						
15"	30" x 10" R15 T301015H	FRONT/REAR	37 LBS			1,320 LBS						
15"	32" x 10" R15 T321015H	FRONT/REAR	44 lbs	1,650 lbs								

\*ONLY COMPATIBLE WITH RANGER XD 1500



### PRO ARMOR MUD XC

- Designed as the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life
- 10-ply construction means added protection in the toughest terrain

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SFM	XP	
14"	27" x 9" R14 T270914MXC	FRONT	30 LBS	10	3	1,170 LBS						
14"	27" x 11" R14 T271114MXC	REAR	32 LBS			1,320 LBS						
14"	29" x 10" R14 T291014MXC	FRONT/REAR	39 LBS			1,390 LBS						
15"	30" x 10" R15 T301015MXC	FRONT/REAR	39 LBS			1,280 LBS						

\*ONLY COMPATIBLE WITH RANGER XD 1500



### PRO ARMOR HD-K

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple-belted sidewall provides extreme protection and extends the tire life
- Quad belt tread core offers superior protection and longer tread life

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SFM	XP
14"	29" x 10" R14 T291014K	FRONT/REAR	31.75mm	40 LBS	10	3/1 Aramid	1,320 LBS				



### PRO ARMOR PRESERVE

- Turf-friendly for areas where low-impact from tire tread is needed
- Rounded profile and special tread pattern to limit footprint

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SFM	XP	
12"	26" x 8" R12 T260812P	FRONT	24 LBS	10	3	855 LBS						
12"	26" x 10" R12 T261012P	REAR	28 LBS			1,320 LBS						
14"	27" x 10" R14 T271014P	FRONT/REAR	28 LBS			1,390 LBS						



- Extra deep treads
- Self-cleaning lugs



### PRO ARMOR MUD XC

- Designed as the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life
- 10-ply construction means added protection in the toughest terrain

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SFM	XP	
14"	27" x 9" R14 T270914MXC	FRONT	30 LBS	10	3	1,170 LBS						
14"	27" x 11" R14 T271114MXC	REAR	32 LBS			1,320 LBS						
14"	29" x 10" R14 T291014MXC	FRONT/REAR	39 LBS			1,390 LBS						
15"	30" x 10" R15 T301015MXC	FRONT/REAR	39 LBS			1,280 LBS						

\*ONLY COMPATIBLE WITH RANGER XD 1500



- Flexible “grippy” tread
- Aggressive side bite



## PRO ARMOR DUAL-THREAT

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
14" 26" x 9" R14 T260914DT	16mm	27 LBS	10	3	910 LBS					
14" 26" x 11" R14 T261114DT		30 LBS			1,110 LBS					
14" 29" x 9" R14 T290914DT		30 LBS			1,110 LBS					
14" 29" x 11" R14 T291114DT		35 LBS			1,320 LBS					
15" 32" x 10" R15 T321015DT		38 LBS			1,990 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500

## PRO ARMOR CRAWLER XG

- Built to crawl over all obstacles, both large and small
- A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- 8-ply, triple-belted ballistic sidewalls resist punctures

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
14" 30" x 10" R14 T301014XG	20mm	38 LBS	8	3	1,280 LBS					
14" 32" x 10" R14 T321014XG		41 LBS			1,420 LBS					
15" 28" x 10" R15 T281015XG		33 LBS			1,100 LBS					
15" 30" x 10" R15 T301015XG		39 LBS			1,280 LBS					
15" 32" x 10" R15 T321015XG		42 LBS			1,390 LBS					
15" 33" x 10" R15 T331015XG		44 LBS			1,520 LBS					
15" 35" x 10" R15 T351015XG		44 LBS			1,420 LBS					
16" 32" x 10.5" R16 T3210516XG		44 LBS			1,430 LBS					
16" 35" x 10" R16 T351016XG		45 LBS			1,430 LBS					



## PRO ARMOR CRAWLER AT

- Directional tread for optimal performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
15" 30" x 10" R15 T301015CAT	18mm	36 LBS	8	3	1,280 LBS					
15" 32" x 10" R15 T321015CAT		39 LBS			1,390 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500

## PRO ARMOR CRAWLER XR

- Premium grip for all terrains, from the trail to the rocks
- Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest the trail has to offer

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
14" 28" x 10" R14 T281014XR	16mm	32 LBS	8	3	1,140 LBS					
14" 30" x 10" R14 T301014XR		38.5 LBS			1,330 LBS					
15" 30" x 9" R15 T300915XR		37 LBS			1,280 LBS					
15" 32" x 10" R15 T321015XR		39 LBS			1,390 LBS					
15" 33" x 10" R15 T331015XR		39 LBS			1,390 LBS					



## NEW PRO ARMOR CRAWLER XP

- Ideal for overlanding, rock crawling and desert running with a soft, sticky compound
- Built to maneuver over large and small obstacles
- 8-ply, triple-belted ballistic sidewalls with anti-puncture strength

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
15" 30" x 10" R15 T301015CXP	20mm	38 LBS	8	3	1,280 LBS					
15" 32" x 10" R15 T321015CXP		42 LBS			1,390 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500



## PRO ARMOR PRO RUNNER

- Designed to be lightweight, high-performance and quicker in corners/flats
- Triple-belted sidewalls offer extra protection where it's needed the most
- Lug separation provides a great grip and an easy clean in mud and sand

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
15" 30" x 9" R15 T300915PR	14mm	30 LBS	8	3	1,170 LBS					
15" 32" x 9.5" R15 T329515PR		36 LBS			1,390 LBS					
15" 33" x 9.5" R15 T339515PR		38 LBS			1,480 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500



## PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
15" 28" x 10" R15 T281015AT2	25mm	32 LBS	10	3	1,110 LBS					
15" 30" x 10" R15 T301015AT2		38 LBS			1,235 LBS					
15" 32" x 10" R15 T321015AT2		44 LBS			1,390 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500



- Provides traction and durability
- Built to perform in hard sand, jagged rocks or any other extreme terrain



## PRO ARMOR DUAL-THREAT

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
14"	26" x 9" R14 T260914DT	FRONT	27 LBS			910 LBS					
14"	26" x 11" R14 T261114DT	REAR	30 LBS			1,110 LBS					
14"	29" x 9" R14 T290914DT	FRONT	30 LBS	10	3	1,110 LBS					
14"	29" x 11" R14 T291114DT	REAR	35 LBS			1,320 LBS					
15"	32" x 10" R15 T321015DT	FRONT/REAR	38 LBS			1,990 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500



## PRO ARMOR PRO RUNNER

- Designed to be lightweight, high-performance and quicker in corners/flats
- Triple-belted sidewalls offer extra protection where it's needed the most
- Lug separation provides a great grip and an easy clean in mud and sand

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
15"	30" x 9" R15 T300915PR		30 LBS			1,170 LBS					
15"	32" x 9.5" R15 T329515PR	FRONT/REAR	36 LBS	8	3	1,390 LBS					
15"	33" x 9.5" R15 T339515PR		38 LBS			1,480 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500



## PRO ARMOR CRAWLER XP

- Ideal for overlanding, rock crawling and desert running with a soft, sticky compound
- Built to maneuver over large and small obstacles
- 8-ply, triple-belted ballistic sidewalls with anti-puncture strength

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
15"	30" x 10" R15 T301015CXP	FRONT/REAR	38 LBS	8	3	1,280 LBS					
15"	32" x 10" R15 T321015CXP		42 LBS			1,390 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500



## PRO ARMOR CRAWLER XG

- Built to crawl over all obstacles, both large and small
- A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- 8-ply, triple-belted ballistic sidewalls resist punctures

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
14"	30" x 10" R14 T301014XG		38 LBS			1,280 LBS					
14"	32" x 10" R14 T321014XG		41 LBS			1,420 LBS					
15"	28" x 10" R15 T281015XG		33 LBS			1,100 LBS					
15"	30" x 10" R15 T301015XG	FRONT/REAR	39 LBS	8	3	1,280 LBS					
15"	32" x 10" R15 T321015XG		42 LBS			1,390 LBS					
15"	33" x 10" R15 T331015XG		44 LBS			1,520 LBS					
15"	35" x 10" R15 T351015XG		44 LBS			1,420 LBS					
16"	32" x 10.5" R16 T3210516XG		44 LBS			1,430 LBS					
16"	35" x 10" R16 T351016XG		45 LBS			1,430 LBS					



## PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
15"	28" x 10" R15 T281015AT2		32 LBS			1,110 LBS					
15"	30" x 10" R15 T301015AT2	FRONT/REAR	38 LBS	10	3	1,235 LBS					
15"	32" x 10" R15 T321015AT2		44 LBS			1,390 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500



## PRO ARMOR CRAWLER AT

- Directional tread for optimal performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
15"	30" x 10" R15 T301015CAT	FRONT/REAR	36 LBS	8	3	1,280 LBS					
15"	32" x 10" R15 T321015CAT		39 LBS			1,390 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500



## PRO ARMOR CRAWLER XR

- Premium grip for all terrains, from the trail to the rocks
- Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest the trail has to offer

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
14"	28" x 10" R14 T281014XR		32 LBS			1,140 LBS					
14"	30" x 10" R14 T301014XR		38.5 LBS			1,330 LBS					
15"	30" x 9" R15 T300915XR	FRONT/REAR	37 LBS	8	3	1,280 LBS					
15"	32" x 10" R15 T321015XR		39 LBS			1,390 LBS					
15"	33" x 10" R15 T331015XR		39 LBS			1,390 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500



## PRO ARMOR ATTACK

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
14"	26" x 9" R14 T260914AT	FRONT	28 LBS	8	3	910 LBS					
14"	26" x 11" R14 T261114AT	REAR	32 LBS			1,320 LBS					

9



- Paddles provide traction and durability in soft sand
- Built to float on top of sand



FRONT REAR



## PRO ARMOR SAND 12XT

- Unique 3-tier concave design on front tires
- Wider rear tires for more traction, plus better grip and flotation on the sand
- 12 paddles for optimized performance on non-turbo models
- 28mm paddle depth specifically designed for increased traction, while limiting sand throw

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
14"	30" x 11" R14 T301114SA	FRONT	12.8mm	22 LBS	8	2	855 LBS				
14"	30" x 13" R14 T301314SA	REAR	28mm	25 LBS	4		1,050 LBS				

FRONT REAR



## PRO ARMOR SAND 16XT

- Unique 3-tier concave design on front tires
- Wider rear tires with additional paddles for more traction, better grip and flotation on the sand
- 16 paddles for optimized performance and traction on turbo models
- 28mm paddle depth specifically designed for increased traction, while limiting sand throw

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
15"	30" x 11" R15 T301115SAGR	FRONT	13mm	23 LBS	4	2	855 LBS				
15"	30" x 14" R15 T301415SA16XT	REAR	28mm	34 LBS			925 LBS				
15"	32" x 12" R15 T321215SAGR	FRONT	13mm	27 LBS			1,020 LBS				
15"	32" x 15" R15 T321515SA16XT	REAR	28mm	36 LBS			1,280 LBS				



- Triple-belted sidewalls to resist puncture
- Purpose-built, long lasting tread patterns



FRONT REAR



## PRO ARMOR TREKKER

- Specialized tread design provides a quiet ride
- Graduated lug depth maximizes the contact patch for ultimate predictability
- 8-ply, triple belted nylon construction

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
12"	26" x 10" R12 T261012TRKR		29 LBS			1,020 LBS					
14"	27" x 10" R14 T271014TRKR		30 LBS			1,080 LBS					
14"	29" x 10" R14 T291014TRKR		32 LBS			1,205 LBS					
15"	30" x 10" R15 T301015TRKR	FRONT/REAR	34 LBS	8	3	1,235 LBS					
15"	32" x 10" R15 T321015TRKR		37 LBS			1,390 LBS					
15"	33" x 10" R15 T331015TRKR		40 LBS			1,520 LBS					
15"	35" x 10" R15 T351015TRKR		45.5 LBS			1,710 LBS					
16"	35" x 10" R16 T351016TRKR		45.2 LBS			1,610 LBS					

\*ONLY COMPATIBLE WITH RANGER XD 1500



## PRO ARMOR PRESERVE

- Turf-friendly for areas where low-impact from tire tread is needed
- Rounded profile and special tread pattern to limit footprint

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
12"	26" x 8" R12 T260812P	FRONT	24 LBS			855 LBS					
12"	26" x 10" R12 T261012P	REAR	28 LBS	10	3	1,320 LBS					
14"	27" x 10" R14 T271014P	FRONT/REAR	28 LBS			1,390 LBS					



## PRO ARMOR XD-K

- 26" Aramid fiber-belted tire to tackle any terrain
- Unique full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
12"	26" x 9" R12 T260912XDK	FRONT	28 LBS			855 LBS					
12"	26" x 11" R12 T261112XDK	REAR	32 LBS	10	3/1 Aramid	1,100 LBS					



## PRO ARMOR HARVESTER

- All-around work horse with tread life of
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
12"	26" x 8" R12 T260812H	FRONT	24 LBS			855 LBS					
12"	26" x 10" R12 T261012H	REAR	32 LBS			1,355 LBS					
14"	27" x 10" R14 T271014H	FRONT/REAR	32 LBS	10	3	1,320 LBS					
14"	28" x 10" R14 T281014H		34 LBS			1,390 LBS					
15"	30" x 10" R15 T301015H	FRONT/REAR	37 LBS			1,320 LBS					
15"	32" x 10" R15 T321015H		44 lbs			1,650 lbs					

\*ONLY COMPATIBLE WITH RANGER XD 1500



## PRO ARMOR HD-K

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple-belted sidewall provides extreme protection and extends the tire life
- Quad belt tread core offers superior protection and longer tread life

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
14"	29" x 10" R14 T291014K	FRONT/REAR	31.75mm	40 LBS	10	3/1 Aramid	1,320 LBS				



- Handles extreme cold
- Holds shape and provides traction



### PRO ARMOR WHITEOUT

- Extra wide tires for flotation in snow
- Cross-hatched tread pattern designed for superior snow traction with limited digging
- 2-ply sidewall designed to balloon for maximum use of its 15" wide contact patch
- Stud compatible

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XTP
14	27" x 14" R14 T271414WO	FRONT	16mm	24 LBS	8	2	935 LBS				
15	30" x 15" R15 T301515WO	FRONT/REAR	17mm	46 LBS	2		1,170 LBS				

### PRO ARMOR HARVESTER

- All-around work horse with tread life of
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XTP
12	26" x 8" R12 T260812H	FRONT		24 LBS			855 LBS				
12	26" x 10" R12 T261012H	REAR		32 LBS			1,355 LBS				
14	27" x 10" R14 T271014H	FRONT/REAR	16mm	32 LBS	10	3	1,320 LBS				
14	28" x 10" R14 T281014H	FRONT/REAR		34 LBS			1,390 LBS				
15	30" x 10" R15 T301015H	FRONT/REAR		37 LBS			1,320 LBS				
15	32" x 10" R15 T321015H	FRONT/REAR		44 lbs			1,650 LBS				

\*ONLY COMPATIBLE WITH RANGER XD 1500



### PRO ARMOR XD-K

- 26" Aramid fiber-belted tire to tackle any terrain
- Unique full-face tread design
- Harder durometer lugs promotes extended wear, increasing tire life

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XTP
12	26" x 9" R12 T260912XDK	FRONT	31.7mm	28 LBS	10	3/1 Aramid	855 LBS				
12	26" x 11" R12 T261112XDK	REAR						32 LBS	1,100 LBS		



### PRO ARMOR HD-K

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple-belted sidewall provides extreme protection and extends the tire life
- Quad belt tread core offers superior protection and longer tread life

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XTP
14	29" x 10" R14 T291014K	FRONT/REAR	31.75mm	40 LBS	10	3/1 Aramid	1,320 LBS				



### PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XTP
15	28" x 10" R15 T281015AT2	FRONT/REAR	25mm	38 LBS	10	3	1,110 LBS				
15	30" x 10" R15 T301015AT2						1,235 LBS				
15	32" x 10" R15 T321015AT2						1,390 LBS				

\*ONLY COMPATIBLE WITH RANGER XD 1500



### PRO ARMOR ATTACK

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XTP
14	26" x 9" R14 T260914AT	FRONT	23mm	28 LBS	8	3	910 LBS				
14	26" x 11" R14 T261114AT	REAR						32 LBS	1,320 LBS		

# WHEELS



## 16" WHEELS

**A HALO 10 BEADLOCK** 5 RZR

WEIGHT: 18.5 LBS	LOAD RATING: 1,670 LBS	OFFSET: +63
AVALANCHE GRAY:	FRONT/REAR 16" x 7"	P16078HTAVG
BLACK:	FRONT/REAR 16" x 7"	P16078HTBL
POLARIS BLUE:	FRONT/REAR 16" x 7"	P16078HTPB
RED:	FRONT/REAR 16" x 7"	P16078HTRD
TITANIUM MET:	FRONT/REAR 16" x 7"	P16078HTTM
TURBO SILVER:	FRONT/REAR 16" x 7"	P16078HTTS

ONLY COMPATIBLE WITH RZR PRO R/4 & RZR TURBO R/4

**B REVOLVER BEADLOCK** RGR RZR GRL

WEIGHT: 18.5 LBS	LOAD RATING: 1,670 LBS	OFFSET: +38
MATTE BLACK:	FRONT/REAR 16" x 7"	P16078RVMB

## 15" WHEELS

**A 5101** RZR

WEIGHT: 14.5 LBS	LOAD RATING: 800 LBS	OFFSET: -5
MATTE BLACK:	FRONT/REAR 15" x 10"	P15105101MB

**B 5201** RGR RZR GRL

WEIGHT: 17.1 LBS	LOAD RATING: 1,300 LBS	OFFSET: +4
MATTE BLACK:	FRONT/REAR 15" x 7"	P1507CYCMB

**C 5202** RGR RZR GRL

WEIGHT: 17.8 LBS	LOAD RATING: 1,300 LBS	OFFSET: +4
ACCENT:	FRONT/REAR 15" x 7"	P1507PLMBM
MATTE BLACK:	FRONT/REAR 15" x 7"	P1507PLMB

**I 5305 BEADLOCK** RZR

WEIGHT: 18.5 LBS	LOAD RATING: 1,650 LBS	OFFSET: +38
MATTE BLACK:	FRONT/REAR 15" x 7"	P150785305MB

**J HALO** RGR RZR GRL

WEIGHT: 18.5 LBS	LOAD RATING: 1,650 LBS	OFFSET: +38
BLACK:	FRONT/REAR 15" x 7"	P15078HMBL
BRONZE MET.:	FRONT/REAR 15" x 7"	P15078HMBM
POLARIS BLUE:	FRONT/REAR 15" x 7"	P15078HMPB
RED:	FRONT/REAR 15" x 7"	P15078HMRD
SKY BLUE:	FRONT/REAR 15" x 7"	P15078HMSB
TITANIUM MET:	FRONT/REAR 15" x 7"	P15078HMTM
WHITE:	FRONT/REAR 15" x 7"	P15078HMWH

AVAILABLE FOR CAN-AM\* 137 BOLT PATTERN: CA15078HMBL/BM/CAR/TM/WH

**K RATH BEADLOCK** 5 RGR RZR GRL

WEIGHT: 17 LBS	LOAD RATING: 1,670 LBS	OFFSET: +55
MATTE BLACK:	FRONT/REAR 15" x 7"	P15078RABL
TITANIUM MET:	FRONT/REAR 15" x 7"	P15078RATM

**L FORCE BEADLOCK** RGR RZR GRL

WEIGHT: 16 LBS	LOAD RATING: 1,300 LBS	OFFSET: +23
MATTE BLACK:	FRONT/REAR 15" x 7"	P15068FOBL
MATTE BLACK:	FRONT/REAR (CAN-AM*) 15" x 7"	CA15068FOBL

**M KNIGHT** RGR RZR GRL

WEIGHT: 15.5/20 LBS	LOAD RATING: 1,300 LBS	OFFSET: -4/-38
MATTE BLACK:	FRONT 15" x 8"	P15078KNBL
MATTE BLACK:	FRONT (CAN-AM*) 15" x 8"	CA1508KNBL
MATTE BLACK:	REAR 15" x 10"	P1510KNBL
MATTE BLACK:	REAR (CAN-AM*) 15" x 10"	CA1510KNBL

**N RALLY** 5 RGR RZR GRL

WEIGHT: 15/16 LBS	LOAD RATING: 1,670 LBS	OFFSET: +61/0
MATTE BLACK:	FRONT 15" x 7"	P1507RFBL
MATTE BLACK:	FRONT 15" x 8"	P1508RFBL
MATTE BLACK:	REAR 15" x 10"	P1510RFBL
MATTE BLACK:	REAR (DEEP OFFSET) 15" x 10"	P1510RFDOBL



## 14" WHEELS

**A 4101** SPM

WEIGHT: 14.5 LBS	LOAD RATING: 800 LBS	OFFSET: -35
MATTE BLACK:	FRONT/REAR 14" x 10"	P1410WOMB

**B 4202** RGR RZR GRL SPM

FRONT WEIGHT: 12.8 LBS	LOAD RATING: 900 LBS	OFFSET: +4
REAR WEIGHT: 13.5 LBS	LOAD RATING: 1,300 LBS	OFFSET: -9
ACCENT:	FRONT 14" x 7"	P14074202MBM
	REAR 14" x 8"	P14084202MBM
MATTE BLACK:	FRONT 14" x 7"	P14074202MB
	REAR 14" x 8"	P14084202MB

NOT COMPATIBLE WITH RZR XP 4 1000/1000 18-24, XP 4 TURBO/TURBO 18-19

**C 4204** RGR RZR GRL SPM

FRONT WEIGHT: 13 LBS	LOAD RATING: 900 LBS	OFFSET: +4
REAR WEIGHT: 14 LBS	LOAD RATING: 1,300 LBS	OFFSET: -9
MATTE BLACK:	FRONT 14" x 7"	P14074204MB
	REAR 14" x 8"	P14084204MB

**D 4205** RGR RZR GRL SPM

FRONT WEIGHT: 10.5 LBS	LOAD RATING: 900 LBS	OFFSET: +4
REAR WEIGHT: 12.5 LBS	LOAD RATING: 1,300 LBS	OFFSET: -9
MATTE BLACK:	FRONT 14" x 7"	P14074205MB
	REAR 14" x 8"	P14084205MB

**E 4206** RZR SPM

FRONT WEIGHT: 9.5 LBS	LOAD RATING: 900 LBS	OFFSET: +4
REAR WEIGHT: 10.8 LBS	LOAD RATING: 1,300 LBS	OFFSET: -9
MATTE BLACK:	FRONT 14" x 6"	P14064206MB
	REAR 14" x 8"	P14084206MB

**F 4302 BEADLOCK** RZR

WEIGHT: 15 LBS	LOAD RATING: 1,600 LBS	OFFSET: +58
MATTE BLACK:	FRONT/REAR 14" x 7"	P140784302MB

**G 4303** RZR

WEIGHT: 13 LBS	LOAD RATING: 1,200 LBS	OFFSET: +58
MATTE BLACK:	FRONT/REAR 14" x 7"	P140784303MB

**H FORCE BEADLOCK** RGR RZR GRL SPM

WEIGHT: 16 LBS	LOAD RATING: 1,300 LBS	OFFSET: +26
MATTE BLACK:	FRONT/REAR 14" x 7"	P14078FOBL
MATTE BLACK:	FRONT/REAR (CAN-AM*) 14" x 7"	CA14078FOBL

**I KNIGHT** RGR RZR GRL SPM

WEIGHT: 15.5/20 LBS	LOAD RATING: 1,300 LBS	OFFSET: +4/-38
MATTE BLACK:	FRONT 14" x 7"	P1407KNBL
MATTE BLACK:	REAR 14" x 10"	P1410KNBL

**J SIXR** RGR RZR GRL SPM

WEIGHT: 10.5/12.5 LBS	LOAD RATING: 900/1300 LBS	OFFSET: +4/-9
MATTE BLACK:	FRONT 14" x 7"	P1407SXMB
MATTE BLACK:	REAR 14" x 8"	P1408SXMB

## 12" WHEELS

**A YOUTH COMBAT** RZR SPM

WEIGHT: 10 LBS	LOAD RATING: 1,300 LBS	OFFSET: -9
BLACK:	FRONT 12" x 7"	P1207YCFRBL
RED:	FRONT 12" x 7"	P1207YCFRRD
TITANIUM MET:	FRONT 12" x 7"	P1207YCFRTM
WEIGHT: 10 LBS	LOAD RATING: 1,200 LBS	OFFSET: -55
BLACK:	REAR 12" x 7"	P1207YCFRBL
RED:	REAR 12" x 7"	P1207YCFRRD
TITANIUM MET:	REAR 12" x 7"	P1207YCFRTM

COMPATIBLE WITH RZR 200 MODELS

- Beadlock required
- Lug Nuts required
- 5 Wheels with 5 Lug Nuts. Only compatible with RZR Pro R/4 & RZR Turbo R/4.

### KNOW YOUR WHEELS

#### STEP 1: SELECT SIZE

- 12" = ATV/YOUTH
- 14" = 40-SERIES
- 15" = 50-SERIES

#### STEP 2: CHOOSE LOAD RATING

- 1 = <800 LBS
- 2 = 801 - 1,300 LBS
- 3 = 1,301 - 1,600+ LBS

#### STEP 3: PICK STYLE

**OFFSET / BEADLOCK / COLOR**  
**INCREASE OFFSET FROM STOCK**  
 = NARROWER STANCE

**DECREASE OFFSET FROM STOCK**  
 = WIDER STANCE

### FORGED BEADLOCK RINGS

#### 14" FORGED BEADLOCK RINGS

4302 BEADLOCK & HD DUAL BEADLOCK (Includes Bolts)  
 MACHINED: A24UN640

#### 15" FORGED BEADLOCK RINGS

5203 BEADLOCK (Includes Bolts)  
 MACHINED: A24UN641

### LUG NUTS, BOLT KITS & CAPS

#### LUG NUTS/BOLT KITS

12MM X 1.5 SPLINED LUG NUTS (SILVER) A24UN643SV  
 12MM X 1.5 SPLINED LUG NUTS (W/ADAPTER) A24UN644SV  
 16 HEX LUG NUTS A24UN647SV

14" BEADLOCK RING BOLT KIT A24UN645

#### CENTER CAPS

CENTER CAP (3.25" BLACK) A24UN642MB  
 CENTER CAP (2.25" BLACK) A24UN639SV



**VISIT [PROARMOR.COM](https://www.proarmor.com)**

FOR MORE INFORMATION ON PRO ARMOR WHEELS & TIRES

**PRO ARMOR**  
*EVERY RIDE HAS A STORY*



MY26 WHEEL & TIRE BROCHURE  
JULY